

" "

-RW

1	3
2	3
3	3
3.1	3
3.2	3
3.3	3
3.4	4
3.4.1	4
3.4.2	“ ’ ”	4
3.4.3	“ ”	5
3.4.4	“ ”	6
3.4.5	“ ”	6
3.5	7

1

1.1

OE-RW (—) :

-

3.4, 4.1 5.1 (—) OE-VPT OE-VT ,
-22 -22 2.1 (

-

-

2

-

- 160 × 85 × 30 ;
KRONA;

-

- RS-232;

-


- 9600 / ;
- 10 ;
- 8.

-

3

3.1


(3.1)



3.1 -

(3.2)

8



3.2 -

3.2


“OE-RW”,
“ , ”.

3.3

“ !”,

KRONA,


3



3.4

3.4.1

(3.3) 4



3.3 –

3.4.2 “ ’ ”

(3.4) , (,),

“N”, () “nnnnn”
« » () « » ()
-22 -22),
:

“4 25137”,

4 – ;
25137 – (), ;
– .

(), , :


“7 -----”,

7 –

“8 ?????”,

8-

3.4.4.



3.4 – “ ”




3.4.3 “ ”

(3.5) ().

- 560160.005; ()

- ; ()

- () 9600 / .



3.5 – “ ”

« =0000»

“0”, ..., “9”, “A”, “B”, “C”, “D”, “E”, “F”.

“ ”

, □.

« =1», □

(1 2)

□ .

().



“ ”, “ ”), (“ ”, “ ”, “ ”, “ ”, “ ”, “ ”)

“ !”.

“ !”.

- ; () “ ”;
- () ;
- .

“ !”.
□ “ ” .
() ,
().

3.4.4 “ ”

□, () .
□, () 3.4.2.

“<< ,>> ”,


□ -
“<< ”

1 “■”.

() “----”, “ ” “ !”.

3.4.5 “ ”

(3.6) :
- mm, yyyy – ;
- NNNN, V.V – .



3.6 – “ ”



“ ”.



3.5

,

“OEMaster05”

3.4 4.1,

“OEMaster06”

OE-VPT OE-VT

OE-VPT OE-VT

5.1

2.1.

-22

22

:

RS-232

;

-

;

-

“

OEMaster.

.

421412.004 1”

-

()::

-

“>”.

76000,

, /

(0342) 775-414, 775-415; email: slot@slot.com.if.ua

, 67,

38, 39,

“ ”